	Applicant(s)	RN
	LEE ET AL.	(gw)
	Art Unit	
	2871	
OSED in this ap	correspondence add oplication. If not inclu n will be mailed in du to withdrawal from is:	uded ue course. <b>THIS</b>
on to file a reply tion.  thed EXAMINER e oath or declarate of the Comment or in the Comment of the drawing of	r complying with the race of the complying the complex of the	requirements  NOTICE OF
L MATERIAL r TOF BIOLOGIC	must be submitted CAL MATERIAL.	l. Note the
ice of Informal F	Patent Application (P	PTO-152)
erview Summary	/ (PTO-413),	
aminer's Amendr	ment/Comment	
aminer's Stateme	ent of Reasons for A	Mowance
ier	22	
erview Su uper No./ aminer's aminer's	ummary Mail Da Amend Statem	formal Patent Application (Fummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for A

Application/Control Number: 10/735,770

Art Unit: 2871

## **DETAILED ACTION**

## Allowable Subject Matter

ζῦ (λ. V. Claims 1-31 are allowed.

The following is an examiner's statement of reasons for allowance:

30 (.)

Regarding claim 1 and 31, Hirano U.S. Patent 6,222,600 teaches an array substrate or a liquid crystal for a liquid crystal device comprising:

A TFT transistor comprising:

- source and drain electrodes over the substrate;
- an active layer of the source and drain electrodes;
- an ohmic contact between the active layer and the source electrode and between the active layer and the drain electrode;
- a gate insulation layer over the active layer

## Choi US Patent No. 6191835 (see front figure) teaches:

- a black matrix over the TFT (42) and
- color filter (28a) disposed over the substrate within the pixel region, the color filter covering a portion of the drain electrode (27b) and exposing another portion of the drain electrode, and
- a pixel electrode (31) over the color filter within the pixel region, the
   pixel electrode contacting an exposed portion of the drain electrode.

However, insufficient motivation exists to combine the references as modifying Choi US Patent No. 6191835 to include the transistor structure of Hirano would require inversion of the gate electrode layer, gate insulation layer, and also a

Application/Control Number: 10/735,770

Art Unit: 2871

30 P.V. significant change in the pixel layer. Claim 31 uses the same structure as claim 1 and merely distinguishes over claim 1 because it is an LCD using an array substrate with the same features as claim 1.

Claim 13 discloses claim 1 in method form therefore is patentable for the same reasons.

Claims 7 and 22 are patentable over prior art for the same reasons as claims 1 and 13, the only difference between claims 7 and 22 and claim 1 is the placement of black matrix below the TFT instead of above.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phu Vu whose telephone number is (571)-272-1562. The examiner can normally be reached on 8AM-5PM M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Kim can be reached on (571)-272-2293. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-

Phu Vu Examiner AU 2871

free).

ROBERTOH. KIM SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800